



sophisticated
since 1908



Eggersmann – a 110-year-old, 4th Generation German company, is the oldest family owned kitchen manufacturer in Germany.

At Eggersmann we are focused on individual designs and have taken modern to the next level with our UNIQUE collection that features furniture designs using genuine granite, marble, quartz and steel finishes. As an FSC Certified manufacturer, Eggersmann is always considering and improving the carbon footprint and environmental effect on the planet. As an industrial manufacturer Eggersmann offers the largest collection of engineered wood veneers and environmentally friendly lacquered surfaces in high-gloss, textured, and matt with unlimited color combinations! Eggersmann has a brand reputation for the flexibility in custom cabinetry design and sizing along with award winning state-of-the-art components and accessories.



For many years, Eggersmann has been an in-demand and successful partner for the outfitting of projects of all sizes, ranging from a very exclusive villa to a large-scale development with several hundred kitchens. Cabinetry and Casework from Eggersmann fulfill all the demands made by discerning clientele and premium developers with regard to logistics, planning, brand recognition, aesthetics and quality.

The experience in international projects around the globe will bring value to your home or development. Eggersmann can offer perfect order handling, competent and talented in-house design and processing team, high-performing and extremely flexible products and a program containing internationally oriented design trends for every market. All of this comes together to create the best team for successful cooperation and exceeding customer's satisfaction around the world.



Eggersmann distribution partners, located in each global market center, are the direct contacts for designers, architects and developers to discuss and design projects of all types and sizes.

Together ensure perfect handling along with installation, shipping logistics, site management, and after-sales service and concierge support.

Awards



DESIGNPREIS
DEUTSCHLAND



GOOD DESIGN
AWARD



INTERIOR
INNOVATION
AWARD



RED DOT
AWARD



IF DESIGN
AWARD

Certificates



The mark of
responsible forestry

TSCA Title VI
compliant



eggersmann usa
150 East 58th Str.
New York, NY 10155
USA

T +212.688.4910
F +212.688.4940

info@eggersmannusa.com

Front finish:	Melamine decor
Edges:	1.3 mm soft edges
Front finish reverse side:	matching front side
Front thickness:	19 mm
Front base:	triple-ply chipboard
Front weight:	13.2 kg/m ²



NEW 2313 onyx (standard carcass color)

- Melamine surfaces and soft edges are very resistant and easy to clean. Please note that due to the effects of light (e.g. continued direct sunlight), unsuitable cleaning agents or steam from cooking environment, color changes may nevertheless occur. Depending on the situation and intensity of the effects a possible discoloration (yellowing) of the surface and the edging material may also vary.

Further door finishes / Colour codes with descriptions




2301 opal white



NEW 2314 fossil (standard carcass color)


Front finish: Melamine decor Fine Matt
Edges: 1.3 mm soft edges
Front finish reverse side: matching front side
Front thickness: 19 mm
Front base: triple-ply chipboard
Front weight: 13.2 kg/m²




2305 terra

- color-matching handles please see page V46
- Melamine surfaces and soft edges are very resistant and easy to clean. Please note that due to the effects of light (e.g. continued direct sunlight), unsuitable cleaning agents or steam from cooking environment, color changes may nevertheless occur. Depending on the situation and intensity of the effects a possible discoloration (yellowing) of the surface and the edging material may also vary.

Further door finishes / Colour codes with descriptions




2306 pearl white



2307 kashmir




2308 graphite



2309 light grey



2310 platinum grey



2311 umbra



2312 sand grey

TUNIS

Front finish:	Melamine decor
Edges:	1.3 mm soft edges
Front finish reverse side:	matching front side
Front thickness:	19 mm
Front base:	triple-ply chipboard
Front weight:	13.2 kg/m ²



2818 Midnight oak* (standard carcass color)
2918 Midnight oak, horizontal*

Melamin wood grain finishes will not be grain matched. *
 Shelves, finished side panels, back panels are vertical finished.

* Optional Decor Grain Matching


DGL grip channels, plinth panels and ceiling fillers are always supplied with as horizontal grain

- Vertical grain matching is possible up to max. material height.
- **A 30% surcharge on the grain matched parts is required.**
Use code MPMGRM.
 Only charge grain matching code on parts you are matching. i.e. a single base door cabinet does not need vertical grain match charge. A 2 drawer 1 pull out unit with grain matching would require the charge.
- **Horizontal grain matching is not available.**
- Grain matching cannot be achieved on ceiling filler, plinth panel or DGL profile.
- Melamine surfaces and soft edges are very resistant and easy to clean.
 Please note that due to the effects of light (e.g. continued direct sunlight), unsuitable cleaning agents or steam from cooking environment, color changes may nevertheless occur.
 Depending on the situation and intensity of the effects a possible discoloration (yellowing) of the surface and the edging material may also vary.


Further door finishes / Colour codes with descriptions



2806 light oak
2906 light oak, horizontal



2811 Chestnut
2911 Chestnut, horizontal



2812 Bardolino grey oak
2912 Bardolino grey oak, horizontal



2902 Halifax oak, horizontal
2802 Halifax oak



2905 Walnut, horizontal
2805 Walnut

*18.6 mm thick

surrounding colour

W

Melamine (Tunis, Trondheim range)

Front finish:	Melamine decor, with embossed surface
Edges:	1 mm soft edges
Front finish reverse side:	matching front side
Front thickness:	19 mm
Front base:	triple-ply chipboard
Front weight:	13.2 kg/m ²



2815 Missouri anthracite oak
2915 Missouri anthracite oak,
horizontal


Melamin wood grain finishes will not be grain matched. *
Shelves, finished side panels, back panels are vertical finished.

* Optional Decor Grain Matching


DGL grip channels, plinth panels and ceiling fillers are always supplied with as horizontal grain

- Vertical grain matching is possible up to max. material height.
- **A 30% surcharge on the grain matched parts is required.**
Use code MPMGRM.
Only charge grain matching code on parts you are matching. i.e. a single base door cabinet does not need vertical grain match charge. A 2 drawer 1 pull out unit with grain matching would require the charge.
- **Horizontal grain matching is not available.**
- Grain matching cannot be achieved on ceiling filler, plinth panel or DGL profile.
- Melamine surfaces and soft edges are very resistant and easy to clean.
Please note that due to the effects of light (e.g. continued direct sunlight), unsuitable cleaning agents or steam from cooking environment, color changes may nevertheless occur.
Depending on the situation and intensity of the effects a possible discoloration (yellowing) of the surface and the edging material may also vary.


Further door finishes / Colour codes with descriptions




2807 Ash white
2907 Ash white, horizontal



2808 Acacia light
2908 Acacia light, horizontal




2809 Acacia dark
2909 Acacia dark, horizontal




2810 Acacia silver
2910 Acacia silver, horizontal




2904 Pembroke oak, horizontal
2804 Pembroke oak



2813 Missouri sand oak
2913 Missouri sand oak,
horizontal



2814 Missouri grey oak
2914 Missouri grey oak,
horizontal



2816 Missouri brown oak
2916 Missouri brown oak,
horizontal



2817 Missouri black oak
2917 Missouri black oak,
horizontal


Front finish: Laminate Xtreme Matt
Edges: 1.3 mm soft edges
Front finish reverse side: matching front side
Front thickness: 19 mm
Front base: triple-ply chipboard
Front weight: 14 kg/m²




2707 kashmir

- color-matching handles please see page V46
- Laminate surfaces and soft edges are very resistant and easy to clean. Please note that due to the effects of light (e.g. continued direct sunlight), unsuitable cleaning agents or steam from cooking environment, color changes may nevertheless occur. Depending on the situation and intensity of the effects a possible discoloration (yellowing) of the surface and the edging material may also vary.

Further door finishes / Colour codes with descriptions




2705 terra



2706 pearl white




2708 graphite



2759 light grey



2760 platinum grey



2761 umbra



2762 sand grey

SYDNEY

Front finish:	Melamin decor with UV coating PerfectSense matt
Edges:	1.3 mm soft edges
Front finish reverse side:	matching front side
Front thickness:	19 mm
Front base:	MDF core
Front weight:	15.5 kg/m ²



2303 metal decor steel dark

- Melamine surfaces and soft edges are very resistant and easy to clean. Please note that due to the effects of light (e.g. continued direct sunlight), unsuitable cleaning agents or steam from cooking environment, color changes may nevertheless occur. Depending on the situation and intensity of the effects a possible discoloration (yellowing) of the surface and the edging material may also vary.


Front finish: Laminate with nano surface and soft touch effect
Edges: 1.2 mm soft edges
Front finish reverse side: matching front side
Front thickness: 19 mm
Front base: MDF core
Front weight: 14.3 kg/m²




2714 Nano iron grey

■ Laminate surfaces and soft edges are very resistant and easy to clean. Please note that due to the effects of light (e.g. continued direct sunlight), unsuitable cleaning agents or steam from cooking environment, color changes may nevertheless occur. Depending on the situation and intensity of the effects a possible discoloration (yellowing) of the surface and the edging material may also vary.


Further door finishes / Colour codes with descriptions




2711 Nano grigio




2712 Nano black




2713 Nano lotus white



2715 Nano grey



2716 Nano taupe



2717 Nano diamond grey



2718 Nano polar white



2719 Nano green grey

NEVADA

Front finish:	Melamin decor
Edges:	1.0 mm soft edges
Front finish reverse side:	matching front side
Front thickness:	18,5 mm
Front base:	triple-ply chipboard
Front weight:	13.2 kg/m ²



2830 Reflex bronze
2930 Reflex bronze, horizontal


Melamin wood grain finishes will not be grain matched. *
Shelves, finished side panels, back panels are vertical finished.
* Optional Decor Grain Matching

DGL grip channels, plinth panels and ceiling fillers are always supplied with as horizontal grain

Further door finishes / Colour codes with descriptions



2831 Reflex graphite
2931 Reflex graphite, horizontal



2832 Reflex blue
2932 Reflex blue, horizontal

DENVER

Front finish: high-gloss lacquered
Edges: 1 mm glossy soft edges
Front finish reverse side: matching high-gloss lacquered
Front thickness: 19,2 mm
Front base: MDF core
Front weight: 15.5 kg/m²



2610 pearl white, high-gloss


Further door finishes / Colour codes with descriptions



2611 grey, high-gloss



2612 kashmir, high-gloss



2613 grigio, high-gloss

Front finish: Fine textured lacquer
 Edges: 2 mm rounded edges
 Front finish reverse side: matching lacquered
 Front thickness: 19 mm
 Front base: MDF core
 Front weight: 15.4 kg/m²



8317 kashmir, fine textured


This door style can be offered in any RAL or NCS color at an additional charge.

Other special colours are available if technically possible and price upon request.




For additions to a delivered kitchen, a reference sample from the first delivery must be required prior production. Due to the handcrafted structure and characteristics of the surfaces there may be variations to the initial delivery. These possible variations to the reference sample do not constitute a reason for complaint.

Further door finishes / Colour codes with descriptions




8315 terra, fine textured



8316 pearl white, fine textured




8318 graphite, fine textured



8319 light grey, fine textured



8320 platinum grey, fine textured



8321 umbra, fine textured



8322 sand grey, fine textured

MODENA

Front finish: Satin texture lacquer
Edges: 2 mm rounded edges
Front finish reverse side: matching lacquered
Front thickness: 19 mm
Front base: MDF core
Front weight: 15.8 kg/m²




8408 graphite, satin texture lacquer

This door style can be offered in any RAL or NCS color at an additional charge.
Other special colours are available if technically possible and price upon request.




For additions to a delivered kitchen, a reference sample from the first delivery must be is required prior production.
Due to the handcrafted structure and characteristics of the surfaces there may be variations to the initial delivery.
These possible variations to the reference sample do not constitute a reason for complaint.


Further door finishes / Colour codes with descriptions




8405 terra, satin texture lacquer




8406 pearl white, satin texture lacquer



8407 kashmir, satin texture lacquer




8432 black, satin texture lacquer



8409 light grey,
satin texture lacquer



8410 platinum grey,
satin texture lacquer



8411 umbra,
satin texture lacquer



8412 sand grey,
satin texture lacquer

surrounding colour SL Satin texture lacquer

KARAT Matt

Front finish: Matt lacquered
Edges: 2 mm rounded edges
Front finish reverse side: matching lacquered
Front thickness: 19 mm
Front base: MDF core
Front weight: 15.4 kg/m²




NEW 8107 kashmir, matt lacquered

This door style can be offered in any RAL or NCS color at an additional charge.
Other special colours are available if technically possible and price upon request.




For additions to a delivered kitchen, a reference sample from the first delivery must be is required prior production.
Due to the handcrafted structure and characteristics of the surfaces there may be variations to the initial delivery.
These possible variations to the reference sample do not constitute a reason for complaint.

Further door finishes / Colour codes with descriptions




NEW 8105 terra, matt lacquered



NEW 8106 pearl white, matt lacquered




NEW 8108 graphite, matt lacquered



NEW 8109 light grey, matt lacquered



NEW 8110 platinum grey, matt lacquered



NEW 8111 umbra, matt lacquered



NEW 8112 sand grey, matt lacquered

KARAT HIGH GLOSS


Front finish:	High-gloss lacquered
Edges:	2 mm rounded edges
Front finish reverse side:	matching matt lacquered
Front thickness:	19 mm
Front base:	MDF core
Front weight:	15.8 kg/m ²



588 alpine white, high-gloss

For additions to a delivered kitchen, a reference sample from the first delivery must be is required prior production.
Due to the handcrafted structure and characteristics of the surfaces there may be variations to the initial delivery.
These possible variations to the reference sample do not constitute a reason for complaint.

Further door finishes / Colour codes with descriptions



8604 icy white, high-gloss



8616 pearl white, high-gloss

KARAT HIGH GLOSS

Front finish: High-gloss lacquered
Edges: 2 mm rounded edges
Front finish reverse side: matching **matt** lacquered
Front thickness: 19 mm
Front base: MDF core
Front weight: 15.8 kg/m²



8617 kashmir, high-gloss

This door style can be offered in any RAL or NCS color at an additional charge.
Other special colours are available if technically possible and price upon request.



For additions to a delivered kitchen, a reference sample from the first delivery must be is required prior production.
Due to the handcrafted structure and characteristics of the surfaces there may be variations to the initial delivery.
These possible variations to the reference sample do not constitute a reason for complaint.


Further door finishes / Colour codes with descriptions



8600 snow white, high-gloss



8615 terra, high-gloss




8618 graphite, high-gloss



8619 light grey, high-gloss



8620 platinum grey, high-gloss




8621 umbra, high-gloss



8622 sand grey, high-gloss

Front finish:	Effect lacquer
Edges:	2 mm rounded edges
Front finish reverse side:	color similar to front without special effect
Front thickness:	19 mm
Front base:	MDF core
Front weight:	15.8 kg/m ²




- Every Ventura front panel is unique!
The effect lacquer finish is made by hand. Slight differences in color intensity, shading or in the grinding pattern, which may have the effect that the color shade appears different, are preserved as characteristic for this handmade finish and feature the furniture parts their unique charisma.

For additions to a delivered kitchen, a reference sample from the first delivery must be required prior production.
Due to the handcrafted structure and characteristics of the surfaces there may be variations to the initial delivery.
These possible variations to the reference sample do not constitute a reason for complaint.

8008 Effect lacquer, steelgrey


Further door finishes / Colour codes with descriptions



8012 Effect lacquer, silver



8013 Effect lacquer, Brushed Brass light




8014 Effect lacquer, Dark Brass



8015 Effect lacquer, Dark Green



8016 Effect lacquer, Dark Bronze



8017 Effect lacquer, Black Steel

surrounding colour

EL

Effect lacquer, matt

VANCOUVER F

Front finish:	Wood veneered
Edges:	1 mm edges on all sides matching
Front finish reverse side:	matching veneered
Front thickness:	19 mm
Front base:	triple-ply chipboard
Front weight:	12.9 kg/m ²



NEW 3566 honey oak

Wood is a natural product and subject to variation of color and graining. Slightly differences in color intensity and grain structure of the veneer are preserved as natural characteristics for this handmade finish and feature the furniture parts their unique charisma. It follows, therefore, that there will be differences between samples/images and the respective delivery of the wood items. Please also note that exposure to sunlight will lead to changes in color.

DGL grip channels, plinth panels and ceiling fillers are delivered with a horizontal grain as standard.

Oiled real wood surfaces

Oiled real wood surfaces are more susceptible to moisture than lacquered wood finishes. Standing liquids can penetrate the wood and cause stains. Make sure to wipe up any spills immediately and use trivets for horizontal applications to minimize the effects of moisture.

Regular care of your oiled real wood surfaces is crucial, to preserve their beauty and durability. Inspect the wood regularly for damage and, if necessary, carry out the maintenance care according to our care instructions.

For additions to a delivered kitchen, a reference sample from the first delivery must be required prior production. Due to the handcrafted structure and characteristics of the surfaces there may be variations to the initial delivery. These possible variations to the reference sample do not constitute a reason for complaint.

Further door finishes / Colour codes with descriptions




493 Fineline oak anthracite



3510 brushed oak silverbrown



3518 brushed core ash light



3522 Fineline wenge



3549 Silver oak oiled



3559 Fineline Striped Sand



3564 Fineline Walnut



NEW **3567** pearl oak

VANCOUVER F

Front finish:	Wood veneered
Edges:	1 mm edges on all sides matching
Front finish reverse side:	matching veneered
Front thickness:	19 mm
Front base:	triple-ply chipboard
Front weight:	12.9 kg/m ²



3535 Smoked oak planked, brushed

Wood is a natural product and subject to variation of color and graining. Slightly differences in color intensity and grain structure of the veneer are preserved as natural characteristics for this handmade finish and feature the furniture parts their unique charisma. It follows, therefore, that there will be differences between samples/images and the respective delivery of the wood items. Please also note that exposure to sunlight will lead to changes in color.

For additions to a delivered kitchen, a reference sample from the first delivery must be is required prior production. Due to the handcrafted structure and characteristics of the surfaces there may be variations to the initial delivery. These possible variations to the reference sample do not constitute a reason for complaint.

DGL grip channels, plinth panels and ceiling fillers are delivered with a horizontal grain as standard.

Further door finishes / Colour codes with descriptions



559 oak smoked, brushed



3519 brushed core ash anthracite



3547 light oak brushed



3555 Oak basalt black, brushed



3558 Fineline Grey Lati



3561 Oak grey brown bicolor, brushed

VANCOUVER F

Front finish:	Wood veneered
Edges:	1 mm edges on all sides matching
Front finish reverse side:	matching veneered
Front thickness:	19 mm
Front base:	triple-ply chipboard
Front weight:	12.9 kg/m ²



Wood is a natural product and subject to variation of color and graining. Slightly differences in color intensity and grain structure of the veneer are preserved as natural characteristics for this handmade finish and feature the furniture parts their unique charisma. It follows, therefore, that there will be differences between samples/images and the respective delivery of the wood items. Please also note that exposure to sunlight will lead to changes in color.

For additions to a delivered kitchen, a reference sample from the first delivery must be is required prior production. Due to the handcrafted structure and characteristics of the surfaces there may be variations to the initial delivery. These possible variations to the reference sample do not constitute a reason for complaint.

DGL grip channels, plinth panels and ceiling fillers are delivered with a horizontal grain as standard.

3563 Black Walnut

Further door finishes / Colour codes with descriptions



3527 walnut



3530 FINELINE graphite black



3534 FINELINE Maro ebony



3545 Oak dark brown riftcut



3554 sand oak



3506 walnut satin



3660 Core Walnut

Front finish:	Wood veneered
Edges:	1 mm edges on all sides matching
Front finish reverse side:	matching veneered
Front thickness:	19 mm
Front base:	triple-ply chipboard
Front weight:	12.9 kg/m ²



5566 honey oak

Vancouver F horizontal grainmatched veneers are produced with a continuous veneer processing.

Finished carcass sides, open shelf units and fillers are delivered in vertical grain direction.

Wood is a natural product and subject to variation of color and graining. Slightly differences in color intensity and grain structure of the veneer are preserved as natural characteristics for this handmade finish and feature the furniture parts their unique charisma. It follows, therefore, that there will be differences between samples/images and the respective delivery of the wood items. Please also note that exposure to sunlight will lead to changes in color.

For additions to a delivered kitchen, a reference sample from the first delivery must be required prior production.

Due to the handcrafted structure and characteristics of the surfaces there may be variations to the initial delivery.

These possible variations to the reference sample do not constitute a reason for complaint.

Oiled real wood surfaces

Oiled real wood surfaces are more susceptible to moisture than lacquered wood finishes.

Standing liquids can penetrate the wood and cause stains.

Make sure to wipe up any spills immediately and use trivets for horizontal applications to minimize the effects of moisture.

Regular care of your oiled real wood surfaces is crucial, to preserve their beauty and durability. Inspect the wood regularly for damage and, if necessary, carry out the maintenance care according to our care instructions.


Further door finishes / Colour codes with descriptions



494 Finline oak anthracite



5510 brushed oak silverbrown



5518 brushed core ash light



5522 Finline wenge



5549 Silver oak oiled



5559 Finline Striped Sand



5564 Finline Walnut



5567 pearl oak

Front finish:	Wood veneered
Edges:	1 mm edges on all sides matching
Front finish reverse side:	matching veneered
Front thickness:	19 mm
Front base:	triple-ply chipboard
Front weight:	12.9 kg/m ²



5535 Smoked oak planked, brushed

Vancouver F horizontal grainmatched veneers are produced with a continuous veneer processing.

Finished carcass sides, open shelf units and fillers are delivered in vertical grain direction.

Wood is a natural product and subject to variation of color and graining. Slightly differences in color intensity and grain structure of the veneer are preserved as natural characteristics for this handmade finish and feature the furniture parts their unique charisma. It follows, therefore, that there will be differences between samples/images and the respective delivery of the wood items. Please also note that exposure to sunlight will lead to changes in color.

For additions to a delivered kitchen, a reference sample from the first delivery must be is required prior production. Due to the handcrafted structure and characteristics of the surfaces there may be variations to the initial delivery. These possible variations to the reference sample do not constitute a reason for complaint.

Further door finishes / Colour codes with descriptions



569 oak smoked, brushed



5519 brushed core ash anthracite



5547 light oak brushed



5555 Oak basalt black, brushed



5558 Finline Grey Lati



5561 Oak grey brown bicolor, brushed

Front finish:	Wood veneered
Edges:	1 mm edges on all sides matching
Front finish reverse side:	matching veneered
Front thickness:	19 mm
Front base:	triple-ply chipboard
Front weight:	12.9 kg/m ²



Vancouver F horizontal grainmatched veneers are produced with a continuous veneer processing.

Finished carcasse sides, open shelf units and fillers are delivered in vertical grain direction.

Wood is a natural product and subject to variation of color and graining. Slightly differences in color intensity and grain structure of the veneer are preserved as natural characteristics for this handmade finish and feature the furniture parts their unique charisma. It follows, therefore, that there will be differences between samples/images and the respective delivery of the wood items. Please also note that exposure to sunlight will lead to changes in color.

For additions to a delivered kitchen, a reference sample from the first delivery must be is required prior production. Due to the handcrafted structure and characteristics of the surfaces there may be variations to the initial delivery. These possible variations to the reference sample do not constitute a reason for complaint.

5563 Black Walnut


Further door finishes / Colour codes with descriptions



5527 walnut



5530 Fineline grafite black



5534 Fineline Maro ebony



5545 Oak dark brown riftcut



5554 sand oak



5506 walnut satin



5660 Core Walnut

Front finish:	Wood veneered, embossed
Edges:	1 mm edges on all sides matching
Front finish reverse side:	matching veneered non-embossed
Front thickness:	18 mm
Front base:	triple-ply chipboard
Front weight:	12.9 kg/m ²



Wood is a natural product and subject to variation of color and graining. Slightly differences in color intensity and grain structure of the veneer are preserved as natural characteristics for this handmade finish and feature the furniture parts their unique charisma. It follows, therefore, that there will be differences between samples/images and the respective delivery of the wood items. Please also note that exposure to sunlight will lead to changes in color.

■ Wood veneer grain will not be grain matched if horizontal veneered.

DGL grip channels, plinth panels and ceiling fillers are delivered with a horizontal grain as standard.

For additions to a delivered kitchen, a reference sample from the first delivery must be is required prior production. Due to the handcrafted structure and characteristics of the surfaces there may be variations to the initial delivery. These possible variations to the reference sample do not constitute a reason for complaint.

3532 Fineline Maro ebony embossed
5532 Fineline Maro ebony, embossed,
horizontal veneered


Further door finishes / Colour codes with descriptions



669 fineline oak grey, embossed
679 fineline oak, grey embossed,
horizontal veneered



3531 Fineline wenge embossed
5531 Fineline wenge embossed,
horizontal veneered




3533 Sisal black embossed
5533 Sisal black embossed,
horizontal veneered



3560 Core Walnut embossed
5560 Core Walnut embossed, horizontal veneered

Front finish:	Noble wood veneered fronts feature veneers from precious and unusual trees
Edges:	1 mm edges on all sides
Front finish reverse side:	veneer grain may not be matched and due to the precious nature of some veneers may be of lesser grade veneer
Front thickness:	19 mm
Front base:	triple-ply chipboard
Front weight:	12.9 kg/m ²



5511 Macassar Amaro, horizontal

The veneers of the NOBLE VENEER COLLECTION are hand picked and are grain matched or book matched according to required approved samples.

A veneer sample approval is required prior to producing furniture with NOBLE VENEER COLLECTION.


The sample will be produced 400 x 400 mm on 6 mm thick panel material. The edges and back will not be finished.

Wood is a natural product and subject to variation of color and graining. Slightly differences in color intensity and grain structure of the veneer are preserved as natural characteristics for this handmade finish and feature the furniture parts their unique charisma. It follows, therefore, that there will be differences between samples/images and the respective delivery of the wood items. Please also note that exposure to sunlight will lead to changes in color.

- **Horizontal grain direction**
- **Finished carcass sides, open shelf units and L-profil grip DGL are also available in these veneers but the veneer processing will be uncontinuous.**

For additions to a delivered kitchen, a reference sample from the first delivery must be is required prior production. Due to the handcrafted structure and characteristics of the surfaces there may be variations to the initial delivery. These possible variations to the reference sample do not constitute a reason for complaint.

Further door finishes / Colour codes with descriptions



5513 Satin Walnut, horizontal



5515 Palisander, horizontal




5516 Copper oak, brushed, horizontal



5517 oak smoked with variations, brushed, horizontal



5556 Smoked Eucalyptus, horizontal



5565 Eucalyptus silver, horizontal

NOBLE VENEER COLLECTION MATT

Front finish:	Noble wood veneered fronts feature veneers from precious and unusual trees
Edges:	1 mm edges on all sides
Front finish reverse side:	veneer grain may not be matched and due to the precious nature of some veneers may be of lesser grade veneer
Front thickness:	19 mm
Front base:	triple-ply chipboard
Front weight:	12.9 kg/m ²



3511 Macassar Amaro

The veneers of the NOBLE VENEER COLLECTION are hand picked and are grain matched or book matched according to required approved samples.

A veneer sample approval is required prior to producing furniture with NOBLE VENEER COLLECTION.

The sample will be produced 400 x 400 mm on 6 mm thick panel material. The edges and back will not be finished.

Wood is a natural product and subject to variation of color and graining. Slightly differences in color intensity and grain structure of the veneer are preserved as natural characteristics for this handmade finish and feature the furniture parts their unique charisma. It follows, therefore, that there will be differences between samples/images and the respective delivery of the wood items. Please also note that exposure to sunlight will lead to changes in color.

- **Vertical grain direction**
- **Finished carcasse sides, open shelf units and L-profil grip DGL are also available in these veneers but the veneer processing will be unconnuous.**

For additions to a delivered kitchen, a reference sample from the first delivery must be is required prior production. Due to the handcrafted structure and characteristics of the surfaces there may be variations to the initial delivery. These possible variations to the reference sample do not constitute a reason for complaint.

Further door finishes / Colour codes with descriptions




3513 Satin Walnut



3515 Palisander



3516 Copper oak, brushed



3517 oak smoked with variations, brushed




3556 Eukalyptus geräuchert



3565 Eucalyptus silver

Front finish:	Noble wood veneered fronts feature veneers from precious and unusual trees.
Edges:	1 mm edges on all sides
Front finish reverse side:	veneer grain may not be matched and due to the precious nature of some veneers may be of lesser grade veneer
Front thickness:	19 mm
Front base:	triple-ply chipboard
Front weight:	13.2 kg/m ²



5711 Macassar Amaro, horizontal, high-gloss lacquered on all sides

The veneers of the NOBLE VENEER COLLECTION are hand picked and are grain matched or book matched according to required approved samples.

A veneer sample approval is required prior to producing furniture with NOBLE VENEER COLLECTION.

The sample will be produced 400 x 400 mm on 6 mm thick panel material. The edges and back will not be finished.

Wood is a natural product and subject to variation of color and graining. Slightly differences in color intensity and grain structure of the veneer are preserved as natural characteristics for this handmade finish and feature the furniture parts their unique charisma. It follows, therefore, that there will be differences between samples/images and the respective delivery of the wood items. Please also note that exposure to sunlight will lead to changes in color.

- **Horizontal grain direction**
- **Finished carcass sides, open shelf units and L-profil grip DGL are also available in these veneers but the veneer processing will be unconnuous.**

For additions to a delivered kitchen, a reference sample from the first delivery must be is required prior production. Due to the handcrafted structure and characteristics of the surfaces there may be variations to the initial delivery. These possible variations to the reference sample do not constitute a reason for complaint.


Further door finishes / Colour codes with descriptions



5713 Satin Walnut, horizontal, high-gloss lacquered on all sides




5715 Palisander, horizontal, high-gloss lacquered on all sides



5716 Copper oak, horizontal, high-gloss lacquered on all sides




5756 Smoked Eucalyptus horizontal, high-gloss lacquered on all sides



5765 Eucalyptus silver, horizontal, high-gloss lacquered on all sides

surrounding colour	NVHG Noble Veneer, high-gloss lacquered
--------------------	---

Front finish:	Noble wood veneered fronts feature veneers from precious and unusual trees.
Edges:	1 mm edges on all sides
Front finish reverse side:	veneer grain may not be matched and due to the precious nature of some veneers may be of lesser grade veneer
Front thickness:	19 mm
Front base:	triple-ply chipboard
Front weight:	13.2 kg/m ²



The veneers of the NOBLE VENEER COLLECTION are hand picked and are grain matched or book matched according to required approved samples.

A veneer sample approval is required prior to producing furniture with NOBLE VENEER COLLECTION.

The sample will be produced 400 x 400 mm on 6 mm thick panel material. The edges and back will not be finished.


Wood is a natural product and subject to variation of color and graining. Slightly differences in color intensity and grain structure of the veneer are preserved as natural characteristics for this handmade finish and feature the furniture parts their unique charisma. It follows, therefore, that there will be differences between samples/images and the respective delivery of the wood items. Please also note that exposure to sunlight will lead to changes in color.

- **Vertical grain direction**
- **Finished carcass sides, open shelf units and L-profil grip DGL are also available in these veneers but the veneer processing will be unconnuous.**

For additions to a delivered kitchen, a reference sample from the first delivery must be is required prior production. Due to the handcrafted structure and characteristics of the surfaces there may be variations to the initial delivery. These possible variations to the reference sample do not constitute a reason for complaint.

3711 Macassar Amaro, high-gloss lacquered on all sides


Further door finishes / Colour codes with descriptions



3713 Satin Walnut
high-gloss lacquered
on all sides



3715 Palisander
high-gloss lacquered
on all sides



3716 Copper oak
high-gloss lacquered on all sides



3756 Smoked Eucalyptus
high-gloss lacquered on all sides



3765 Eucalyptus silver,
high-gloss lacquered on all sides

surrounding colour

NVHG

Noble Veneer, high-gloss lacquered

Front finish:	Wood veneered fronts with vertical plank style
Edges:	1 mm edges on all sides
Front finish reverse side:	veneered, with plank style
Front thickness:	20 mm
Front base:	MDF black
Front weight:	15,9 kg/m ²



3563 Black Walnut

Wood is a natural product and subject to variation of color and graining. Slightly differences in color intensity and grain structure of the veneer are preserved as natural characteristics for this handmade finish and feature the furniture parts their unique charisma. It follows, therefore, that there will be differences between samples/images and the respective delivery of the wood items. Please also note that exposure to sunlight will lead to changes in color.

- Shelves, finished carcass side panels, back panels are vertical veneered as standard, without plank style.
- Side panel with front pattern
- Groove grid is 100 mm
- Drillings for handles are not available.
- Handles 88.510 - 88.516 and 88.530 - 88.535 are available

For additions to a delivered kitchen, a reference sample from the first delivery must be is required prior production. Due to the handcrafted structure and characteristics of the surfaces there may be variations to the initial delivery. These possible variations to the reference sample do not constitute a reason for complaint.

DGL grip channels, plinth panels and ceiling fillers are delivered with a horizontal grain as standard.

Further door finishes / Colour codes with descriptions



3519 brushed core ash anthracite

Front finish:	Wood veneered front with vertical groove shape
Edges:	1 mm edges on all sides matching
Front finish reverse side:	matching veneered
Front thickness:	21 mm
Front base:	triple-ply chipboard
Front weight:	14.3 kg/m ²



3549 Silver oak oiled

Wood is a natural product and subject to variation of color and graining. Slightly differences in color intensity and grain structure of the veneer are preserved as natural characteristics for this handmade finish and feature the furniture parts their unique charisma. It follows, therefore, that there will be differences between samples/images and the respective delivery of the wood items. Please also note that exposure to sunlight will lead to changes in color.

- Wood veneer grain will not be grain matched if vertical veneered.
- Shelves, finished carcass side panels, back panels are vertical veneered as standard, without groove shape.
- Side panel with front pattern
- Handles/Drillings for handles are not available.
- Maximum frontpanel dimensions (HxW): 2345 x 950 mm/806 x 1250 mm.


For additions to a delivered kitchen, a reference sample from the first delivery must be required prior production. Due to the handcrafted structure and characteristics of the surfaces there may be variations to the initial delivery. These possible variations to the reference sample do not constitute a reason for complaint.

Oiled real wood surfaces
Oiled real wood surfaces are more susceptible to moisture than lacquered wood finishes. Standing liquids can penetrate the wood and cause stains. Make sure to wipe up any spills immediately and use trivets for horizontal applications to minimize the effects of moisture. Regular care of your oiled real wood surfaces is crucial, to preserve their beauty and durability. Inspect the wood regularly for damage and, if necessary, carry out the maintenance care according to our care instructions.


Further door finishes / Colour codes with descriptions



3554 Sand oak



3555 Oak basalt black brushed



3561 Oak grey brown bicolor, brushed



NEW 3566 honey oak



NEW 3567 pearl oak

Front finish:	Real wood veneered front with vertical wooden stripes
Edges:	1 mm edges on all sides matching
Front finish reverse side:	matching veneered
Front thickness:	19/21 mm
Front base:	triple-ply chipboard
Front weight:	14.3 kg/m ²



Wood is a natural product and subject to variation of color and graining. Slightly differences in color intensity and grain structure of the veneer are preserved as natural characteristics for this handmade finish and feature the furniture parts their unique charisma. It follows, therefore, that there will be differences between samples/images and the respective delivery of the wood items. Please also note that exposure to sunlight will lead to changes in color.

- Shelves, finished carcass side panels, back panels are vertical veneered as standard, without groove shape.
- Side panel with front pattern
- Drillings for handles are not available.
- Handles 88.510 - 88.516 and 88.530 - 88.535 are available

For additions to a delivered kitchen, a reference sample from the first delivery must be is required prior production. Due to the handcrafted structure and characteristics of the surfaces there may be variations to the initial delivery. These possible variations to the reference sample do not constitute a reason for complaint.

Oiled real wood surfaces
Oiled real wood surfaces are more susceptible to moisture than lacquered wood finishes. Standing liquids can penetrate the wood and cause stains. Make sure to wipe up any spills immediately and use trivets for horizontal applications to minimize the effects of moisture. Regular care of your oiled real wood surfaces is crucial, to preserve their beauty and durability. Inspect the wood regularly for damage and, if necessary, carry out the maintenance care according to our care instructions.

3567 pearl oak

Further door finishes / Colour codes with descriptions




3549 Silver oak oiled



3555 Oak basalt black brushed




3561 Oak grey brown bicolor, brushed



3566 honey oak

Front finish: Satin texture lacquer with vertical groove shape
Edges: 1 mm edges on all sides matching
Front finish reverse side: matching matt lacquered
Front thickness: 22 mm
Front base: MDF core
Front weight: 15.9 kg/m²



8407 kashmir, satin texture lacquer

This door style can be offered in any RAL or NCS color at an additional charge.

Other special colours are available if technically possible and price upon request.



- Shelves, finished carcass side panels, back panels are vertical veneered as standard, without groove shape.
- Side panel with front pattern
- Handles/Drillings for handles are not available.

For additions to a delivered kitchen, a reference sample from the first delivery must be required prior production.
Due to the handcrafted structure and characteristics of the surfaces there may be variations to the initial delivery.
These possible variations to the reference sample do not constitute a reason for complaint.

Further door finishes / Colour codes with descriptions



8405 terra, satin texture lacquer



8406 pearl white, satin texture lacquer



8408 graphite, satin texture lacquer



8409 light grey, satin texture lacquer




8410 platinum grey, satin texture lacquer



8411 umbra, satin texture lacquer




8412 sand grey, satin texture lacquer



8432 black, satin texture lacquer

TORINO

Front finish:	aluminum anodised
Edges:	1 mm flush aluminum edges on all sides
Front finish reverse side:	matching material
Front thickness:	19 mm
Front base:	triple-ply chipboard
Front weight:	16.9 kg/m ²



929 aluminum anodised



■ Due to the anodization of the surface material, color deviations are possible due to the batch.
In case of additions to an already delivered kitchen this must be taken into account.

For additions to a delivered kitchen, a reference sample from the first delivery must be required prior production.
Due to the handcrafted structure and characteristics of the surfaces there may be variations to the initial delivery.
These possible variations to the reference sample do not constitute a reason for complaint.

Further door finishes / Colour codes with descriptions



8909 Light Bronze anodised



8913 platinum grey anodised

MANHATTAN F

Front finish: Aluminum frame door with veneered center panel
Edges: Aluminum frame
Front finish reverse side: matching veneered
Front thickness: 24 mm
Front base: triple-ply chipboard
Front weight: 15.1 kg/m²



3535 Smoked oak planked



Available finishes for the aluminum frame:

	MM	Brass
	TP	Titanium
	CG	Chrome
	SW	Black
	BR	Bronze
	CB	Carbongrey

For additions to a delivered kitchen, a reference sample from the first delivery must be is required prior production.
Due to the handcrafted structure and characteristics of the surfaces there may be variations to the initial delivery.
These possible variations to the reference sample do not constitute a reason for complaint.

- Front panels cannot be fitted together.
- Shelves, finished carcass side panels, back panels are vertical veneered as standard, without aluminum frame.
- Panels with aluminum frame.

Further door finishes / Colour codes with descriptions



3519 core ash light anthracite



3527 walnut



3530 Fineline grafite black

Additional veneer options for center panel on request.

Front finish: Aluminum frame door with satin texture lacquered center panel

Edges: Aluminum frame

Front finish reverse side: matching lacquered

Front thickness: 24 mm

Front base: MDF core

Front weight: 18 kg/m²


This door style can be offered in any RAL or NCS color at an additional charge.



Other special colours are available if technically possible and price upon request.



8407 kashmir, satin texture lacquer




Available finishes for the aluminum frame:

	MM	Brass
	TP	Titanium
	CG	Chrome
	SW	Black
	BR	Bronze
	CB	Carbongrey

For additions to a delivered kitchen, a reference sample from the first delivery must be required prior production. Due to the handcrafted structure and characteristics of the surfaces there may be variations to the initial delivery. These possible variations to the reference sample do not constitute a reason for complaint.

- Front panels cannot be fitted together.
- Shelves, finished carcass side panels, back panels are vertical veneered as standard, without aluminum frame.
- Panels with aluminum frame.

Further door finishes / Colour codes with descriptions



8405 terra, satin texture lacquer



8406 pearl white, satin texture lacquer



8408 graphite, satin texture lacquer



8409 light grey, satin texture lacquer



8410 platinum grey, satin texture lacquer



8411 umbra, satin texture lacquer



8412 sand grey, satin texture lacquer



8432 black, satin texture lacquer

surrounding colour SL satin texture lacquer (without aluminum frame)

Front finish: Aluminum frame door with high-gloss lacquered center panel

Edges: Aluminum frame

Front finish reverse side: matching lacquered

Front thickness: 24 mm

Front base: MDF core

Front weight: 18 kg/m²


This door style can be offered in any RAL or NCS color at an additional charge.



Other special colours are available if technically possible and price upon request.



8617 kashmir, high-gloss



Available finishes for the aluminum frame:

	MM	Brass
	TP	Titanium
	CG	Chrome
	SW	Black
	BR	Bronze
	CB	Carbongrey

For additions to a delivered kitchen, a reference sample from the first delivery must be required prior production. Due to the handcrafted structure and characteristics of the surfaces there may be variations to the initial delivery. These possible variations to the reference sample do not constitute a reason for complaint.

- Front panels cannot be fitted together.
- Shelves, finished carcass side panels, back panels are vertical veneered as standard, without aluminum frame.
- Panels with aluminum frame.

Further door finishes / Colour codes with descriptions



8615 terra, high-gloss



8616 pearl white, high-gloss



8618 graphite, high-gloss



8409 light grey, high-gloss



8410 platinum grey, high-gloss



8411 umbra, high-gloss



8412 sand grey, high-gloss


surrounding colour **HG** high-gloss lacquer (without aluminum frame)

MANHATTAN AE

Front finish: Aluminum frame door with aluminum anodized center panel
Edges: Aluminum frame
Front finish reverse side: matching material
Front thickness: 24 mm
Front base: triple-ply chipboard
Front weight: 17.5 kg/m²



8909 Light Bronze anodised



Available finishes for the aluminum frame:

	MM	Brass
	TP	Titanium
	CG	Chrome
	SW	Black
	BR	Bronze
	CB	Carbongrey

For additions to a delivered kitchen, a reference sample from the first delivery must be required prior production. Due to the handcrafted structure and characteristics of the surfaces there may be variations to the initial delivery. These possible variations to the reference sample do not constitute a reason for complaint.

- Front panels cannot be fitted together.
- Shelves, finished carcass side panels, back panels are vertical veneered as standard, without aluminum frame.
- Panels with aluminum frame.

Further door finishes / Colour codes with descriptions



929 aluminum anodised



8913 platinum grey anodised

VETRO polished

Front finish: polished glassdoor (ESG glass) with aluminum frame carbongrey
 Front finish reverse side: matt lacquered
 Front thickness: 21 mm
 Front weight: 17.6 kg/m²



8732 black



■ For e:line system only available with Tip-On o Tipmatic or Sensomatic opening systems or with handle profiles 88.630 – 88.635
 Handles and drillings for handles are not available.

■ Front panels cannot be fitted together.

Front panels, fitting strips, corner posts and drawer panels smaller than 138 mm are produced with a 16 mm back panel carbongrey lacquered.

The glass back panels of the pullout drawer-fronts are finished with melamine (4mm) in onyx.

■ The aluminum frame can be supplied in any RAL colour at an additional charge.

This door style can be offered in any RAL or NCS color at an additional charge.

Other special colours are available if technically possible and price upon request.




For additions to a delivered kitchen, a reference sample from the first delivery must be required prior production.
 Due to the handcrafted structure and characteristics of the surfaces there may be variations to the initial delivery.
 These possible variations to the reference sample do not constitute a reason for complaint.

Further door finishes / Colour codes with descriptions




981 mirror grey



983 mirror bronze




NEW 8705 terra




NEW 8706 pearl white



NEW 8707 kashmir




NEW 8708 graphite



NEW 8709 light grey



NEW 8710 platinum grey



NEW 8711 umbra



NEW 8712 sand grey


surrounding colour **G** glass

VETRO satinato

Front finish: frosted glassdoor (ESG glass) with aluminum frame carbongrey
 Front finish reverse side: matt lacquered
 Front thickness: 21 mm
 Front weight: 17.6 kg/m²



8832 schwarz



- For e:line system only available with Tip-On o Tipmatic or Sensomatic opening systems or with handle profiles 88.630 – 88.635
Handles and drillings for handles are not available.
- Front panels cannot be fitted together.
Front panels, fitting strips, corner posts and drawer panels smaller than 138 mm are produced with a 16 mm back panel carbongrey lacquered.
The glass back panels of the pullout drawer-fronts are finished with melamine (4mm) in onyx.
- The aluminum frame can be supplied in any RAL colour at an additional charge.


This door style can be offered in any RAL or NCS color at an additional charge.

Other special colours are available if technically possible and price upon request.




For additions to a delivered kitchen, a reference sample from the first delivery must be required prior production.
 Due to the handcrafted structure and characteristics of the surfaces there may be variations to the initial delivery.
 These possible variations to the reference sample do not constitute a reason for complaint.

Further door finishes / Colour codes with descriptions




980 optic glass mirror type



982 matelac bronze




NEW 8805 terra




NEW 8806 pearl white



NEW 8807 kashmir




NEW 8808 graphite



NEW 8809 light grey



NEW 8810 platinum grey



NEW 8811 umbra



NEW 8812 sand grey

surrounding colour **G** glass

TOKYO

Front finish:	real concrete surface
Front finish reverse side:	matt laquered
Front thickness:	19 mm
Front base:	MDF core
Front weight:	15.4 kg/m ²



8902 concrete dark


- Every Tokyo front panel is unique!
The concrete finish is made by hand. Slight differences in color intensity and shading of the concrete plastering, which may have the effect that the color shade appears different, are preserved as characteristic for this handmade finish and feature the furniture parts their unique charisma.

For additions to a delivered kitchen, a reference sample from the first delivery must be required prior production. Due to the handcrafted structure and characteristics of the surfaces there may be variations to the initial delivery. These possible variations to the reference sample do not constitute a reason for complaint.

Further door finishes / Colour codes with descriptions



8903 concrete light




8904 concrete terra



8906 concrete grey

BILBAO

Front finish: stainless steel clad
Front finish reverse side: melamine onyx
Front thickness: 20 mm
Front base: triple-ply chipboard
Front weight: 20.8 kg/m²



912 stainless steel, brushed

■ Please note the approved maximum front panel weight according to the dishwasher manufacturer specification.


surrounding colour **E** stainless steel, brushed



911 stainless steel, eccentric grinding surface

■ Please note the approved maximum front panel weight according to the dishwasher manufacturer specification.

surrounding colour **EES** stainless steel, eccentric grinding surface



914 stainless steel, high polished

■ Please note the approved maximum front panel weight according to the dishwasher manufacturer specification.

surrounding colour **EHG** stainless steel, high polished

TOLEDO

Front finish: Frame door (frame width 6,5 mm), satin texture lacquer
Front finish reverse side: matching lacquered
Front thickness: 22 mm
Front base: MDF core
Front weight: 15.9 kg/m²



8408 graphite, satin texture lacquer

This door style can be offered in any RAL or NCS color at an additional charge.

Other special colours are available if technically possible and price upon request.



For additions to a delivered kitchen, a reference sample from the first delivery must be required prior production.
Due to the handcrafted structure and characteristics of the surfaces there may be variations to the initial delivery.
These possible variations to the reference sample do not constitute a reason for complaint.

■ Side panel with front pattern

Further door finishes / Colour codes with descriptions



8405 terra,
satin texture lacquer



8406 pearl white,
satin texture lacquer



8407 kashmir,
satin texture lacquer



8409 light grey,
satin texture lacquer




8410 platinum grey,
satin texture lacquer



8411 umbra,
satin texture lacquer



8412 sand grey,
satin texture lacquer



8432 black,
satin texture lacquer

surrounding colour

SL

satin texture lacquer

Front finish:	Framed door (frame with 6,5 mm), veneered
Front finish reverse side:	matching veneered
Front thickness:	22 mm
Front base:	triple-ply furniture board, frame solid wood
Front weight:	12.7 kg/m ²



3506 walnut satin

Wood is a natural product and subject to variation of color and graining. Slightly differences in color intensity and grain structure of the veneer are preserved as natural characteristics for this handmade finish and feature the furniture parts their unique charisma. It follows, therefore, that there will be differences between samples/images and the respective delivery of the wood items. Please also note that exposure to sunlight will lead to changes in color.

For additions to a delivered kitchen, a reference sample from the first delivery must be is required prior production. Due to the handcrafted structure and characteristics of the surfaces there may be variations to the initial delivery. These possible variations to the reference sample do not constitute a reason for complaint.

DGL grip channels, plinth panels and ceiling fillers are delivered with a horizontal grain as standard.

■ Side panel with front pattern

Further door finishes / Colour codes with descriptions




3552 Platinum oak



3555 Oak basalt black brushed

Front finish:	Linoleum
Edges:	1 mm Linoleum
Front finish reverse side:	Linoleum
Front thickness:	20 mm
Front base:	triple-ply chipboard
Front weight:	13,8 kg/m ²



7800 olive


- Linoleum is made from natural, renewable raw materials - linseed oil, resins, wood and limestone flour and, of course, color pigments - and is therefore particularly ecological.
As a natural product, linoleum may vary in color from one delivery batch to another. This must be taken into account when reordering.
Please note that due to the effects of light (e.g. sunlight), unsuitable cleaning agents or vapors from the cooking environment, color changes of the linoleum surface cannot be excluded.

For additions to a delivered kitchen, a reference sample from the first delivery must be is required prior production.
Due to the handcrafted structure and characteristics of the surfaces there may be variations to the initial delivery.
These possible variations to the reference sample do not constitute a reason for complaint.

Further door finishes / Colour codes with descriptions



7801 pebble




7802 iron




7803 graphite

Glass door models all glass fronts with safety glass


Glass models



NEW Glass models Madras











GA glance Aluminum frame glass door (front thickness 24 mm)
with integrated AIR-hinges at top and bottom carcase shelf and tip-on opening, available with integrated handle profile.










RG
Frame door (60 mm), veneered or lacquered doors with inner corners of frame with 9 mm radius. Melamine, Laminate and AcryluxTopX ranges as four-piece frame (without inner radius)






Handle positioning

Doors:	vertical	horizontal	horizontal central	surface mounted handle profile horizontal, central	flush mounted edge handle profile, horizontal, central	handle Manhattan/glance horizontal	vertical	without drilling
Drawers/ Pullouts, flap doors:	horizontal central	horizontal central	horizontal central	surface mounted handle profile horizontal, central	flush mounted edge handle profile, horizontal, central			without drilling
Drillings for handles:								
Center hole distance	128 mm	160 mm	192 mm	320 mm	B99	B72	B73	B00
	B47	B46	B26	B66				
	B69	B68	B27					
	B49	B48	B28					
	B71	B70	B29					
Drilling for knob:	B11	B11	B24					






























Handles without additional charge

Illustration	Order no.	Description	Center hole distance	
	88.170	stainless steel 37 mm high	—	
	88.180	stainless steel 33 mm high	192 mm	
	88.181	chrome polished 33 mm high	192 mm	
	88.182	black 33 mm high	192 mm	
	88.450	black chrome 30 mm high	160 mm	
	88.451	antracite anodized 30 mm high	160 mm	
	88.452	black anodized 30 mm high	160 mm	


Handles with additional charge



	WKE 206	stainless steel 40 mm high	192 mm	
	88.461	black chrome 37 mm high with embossed surface	160 mm	
	88.462	black chrome 37 mm high Not available for front panel width/height <446 mm	320 mm	








Handles with additional charge



Illustration	Order no.	Description	
surface mounted handle profile, screwed on the rear side			
	88.630	stainless steel colored	
	88.631	anthracite anodized	
	88.632	black anodized	
	88.633	bronze anodized	
	88.634	brass anodized	
	88.635	chrome polished	
flush grip, stainless steel coloured			
		Not available for Manhattan, Torino, Bilbao ranges	
	88.510	stainless steel colored	
	88.512	black anodized	
	88.513	bronze anodized	
	88.515	NEW carbongrey	
flush grip, powder-coated			
		Color matched to the front finishes the programs Macau and Milano	
		Not available for Manhattan, Torino, Bilbao ranges	
	88.540	terra	
	88.541	pearl white	
	88.542	kashmir	
	88.543	graphite	
	88.544	light grey	
	88.545	platinum grey	
	88.546	umbra	
	88.547	sand grey	
flush mounted edge handle profile			
		Not available for Manhattan range, Torino, Bilbao	
	88.530	stainless steel colored	
	88.531	anthracite anodized	
	88.532	black anodized	
	88.533	bronze anodized	
	88.534	brass anodized	
	88.535	chrome polished	
recess handle, aluminum			
		not available for the ranges Torino, Manhattan and Bilbao range	
	88.231		

Handles with additional charge

Illustration	Order no.	Description
vertical grip profile		not available for Manhattan, Torino, Bilbao ranges
	88.514	aluminum black anodized max. length 2345 mm
	88.516	NEW Carbongrey maximum length 2345 mm


recess handle, stainless steel coloured		not available for Manhattan range
	88.976	(mounted on side edge of back side of front panel) only available for fronts of tall units lateral clearance necessary.
		

Grip Manhattan / glance		The color of the grip profile is according to the selected color of the Manhattan/glance aluminum frame.	
	MM	Brass	
	TP	Titanium	
	CG	Chrome	
	SW	Black	
	BR	Bronze	
	CB	Carbongrau	
88.007	length	75 mm	
88.015	length	150 mm	

Handle for installation at back side of pocket-doors, aluminum black anodized		
	88.977	
		

WKS stainless steel bar handle with rectangular base, 14 mm Ø

(to be mounted horizontally on doors, drawers and pullouts)



Not available for the following ranges: Lausanne, Locarno, Osaka.

Drill holes for handle: B 38


(not available in combination with 155° hinges)

Horizontal bar handles (drawers/pullouts/flap doors/doors)

Width	Width of front panel	Length of bar	Order. no.	Drilling
300 mm	296 mm	166 mm	WKS 166	154 mm
350 mm	346 mm	216 mm	WKS 216	204 mm
400 mm	396 mm	266 mm	WKS 266	254 mm
450 mm	446 mm	316 mm	WKS 316	304 mm
500 mm	496 mm	366 mm	WKS 366	354 mm
600 mm	596 mm	466 mm	WKS 466	454 mm
700 mm	696 mm	566 mm	WKS 566	554 mm
800 mm	796 mm	666 mm	WKS 666	654 mm
900 mm	896 mm	766 mm	WKS 766	754 mm
1000 mm	996 mm	866 mm	WKS 866	854 mm
1200 mm	1196 mm	1066 mm	WKS 1066	1054 mm

WKE stainless steel bar handle with rectangular base, 14 mm Ø

(to be mounted horizontally on doors, drawers and pullouts)




Not available for the following ranges: Lausanne, Locarno, Osaka.

Drill holes for handle: B 38

(not available in combination with 155° hinges)

Horizontal bar handles (drawers/pullouts/flap doors/doors)

Width	Width of front panel	Length of bar	Order. no.	Drilling
300 mm	296 mm	168 mm	WKE 168	154 mm
350 mm	346 mm	218 mm	WKE 218	204 mm
400 mm	396 mm	268 mm	WKE 268	254 mm
450 mm	446 mm	318 mm	WKE 318	304 mm
500 mm	496 mm	368 mm	WKE 368	354 mm
600 mm	596 mm	468 mm	WKE 468	454 mm
700 mm	696 mm	568 mm	WKE 568	554 mm
800 mm	796 mm	668 mm	WKE 668	654 mm
900 mm	896 mm	768 mm	WKE 768	754 mm
1000 mm	996 mm	868 mm	WKE 868	854 mm
1200 mm	1196 mm	1068 mm	WKE 1068	1054 mm



unique®

By the system unique eggersmann is designing, developing and manufacturing a collection of kitchens and interior decorations which can hardly be matched for its timelessness and minimalism.

The name unique really says it all.

The focus is on individuality and also exceptional and exclusive materials. The fundamental idea of this system is the homogeneity of all visible surfaces. Front and side panels as well as grip channels, plinth panels and worktops are made of just one identical material. Cutting-edge details such as 45° beveled edges/joints apply to fronts, side panels and worktops. In addition to various types of natural stone, solid stainless steel with silvertouch finish, Corian as well as Fenix NTM can be used.

Nature cannot be standardized

We deliberately use many natural materials in our system unique but, although all our materials conform to the same high standard, no natural stone slab is completely flawless, nor are any two slabs exactly alike.

Therefore, kindly note the following information:

The structure of valuable natural stone surfaces includes characteristics of authenticity, which, in their diversity, do not occur altogether on a small stone sample. In the case of natural stones, strong veins, fine cracks, air pores, mineral inclusions etc. are preserved as characteristics for "real stone". Such variations must be taken for what they are: that is, not faults but proof that real stone slabs have been used. Many slabs are required for a unique kitchen and, within each of those slabs, there are varying degrees of structure, color and veining. This makes the uniform color and structure processing extremely difficult and can lead to the typical appearance of natural stone: partial structural deviations and/or color variations, which, however, underline the naturalness.

Nero Assoluto honed

Material: Granite





Granite is a primordial or deep-seated rock which was formed when the earth’s crust cooled between 500 and 800 million years ago.

- Granite is characterized by its **hardness** and it is **scratch-resistant, acid-resistant, heat-resistant** and **easy to clean** when following the clean and care instructions.
 - **Each Granite** features **different surface condition** and **air pores** as well as the **different gloss level and color** of contained minerals make each natural stone kitchen **unique**.
 - **Variations in the color, structure and open-cell character of natural stones are unavoidable.**
 - Natural stone front panels are not processed vein-matched as standard. Vein-matching front processing can be considered on request, with respect to the overall dimensions of the unique island and the available stone slab size.
- UFVB** Vein-matched stone front processing



7012 Nero Assoluto honed

Surface characteristics

	Stain sensitivity	2
	Acid sensitivity	1
	Scratch sensitivity	2
	Cleaning and maintenance effort	2

■ max. size for slabs:	2700 x 1300 mm
■ Material thickness:	11 mm
■ Material weight:	40 kg per sqm


from 1 (immune/fine) to 4 (sensitive/suboptimal)

Nero Assoluto waterjet

Material: Granite





Granite is a primordial or deep-seated rock which was formed when the earth’s crust cooled between 500 and 800 million years ago.

- Granite is characterized by its **hardness** and it is **scratch-resistant, acid-resistant, heat-resistant** and **easy to clean** when following the clean and care instructions.
 - **Each Granite** features **different surface condition** and **air pores** as well as the **different gloss level and color** of contained minerals make each natural stone kitchen **unique**.
 - **Variations in the color, structure and open-cell character of natural stones are unavoidable.**
 - Natural stone front panels are not processed vein-matched as standard. Vein-matching front processing can be considered on request, with respect to the overall dimensions of the unique island and the available stone slab size.
- UFVB** Vein-matched stone front processing



7038 Nero Assoluto waterjet

Surface characteristics

	Stain sensitivity	1
	Acid sensitivity	1
	Scratch sensitivity	1
	Cleaning and maintenance effort	2

■ max. size for slabs:	2700 x 1300 mm
■ Material thickness:	11 mm
■ Material weight:	39,1 kg per sqm

from 1 (immune/fine) to 4 (sensitive/suboptimal)

Pannonia Green leather

Material: Granite





Granite is a primordial or deep-seated rock which was formed when the earth’s crust cooled between 500 and 800 million years ago.

- Granite is characterized by its **hardness** and it is **scratch-resistant, acid-resistant, heat-resistant** and **easy to clean** when following the clean and care instructions.
 - **Each Granite** features **different surface condition** and **air pores** as well as the **different gloss level and color** of contained minerals make each natural stone kitchen **unique**.
 - **Variations in the color, structure and open-cell character of natural stones are unavoidable.**
 - Natural stone front panels are not processed vein-matched as standard. Vein-matching front processing can be considered on request, with respect to the overall dimensions of the unique island and the available stone slab size.
- UFVB** Vein-matched stone front processing



7068 Pannonia Green leather

Surface characteristics

	Stain sensitivity	1
	Acid sensitivity	1
	Scratch sensitivity	1
	Cleaning and maintenance effort	1

■ max. size for slabs:	2700 x 1300 mm
■ Material thickness:	11 mm
■ Material weight:	31,1 kg per sqm

from 1 (immune/fine) to 4 (sensitive/suboptimal)

Black Musk waterjet NEW

Material: Granite





Granite is a primordial or deep-seated rock which was formed when the earth’s crust cooled between 500 and 800 million years ago.

- Granite is characterized by its **hardness** and it is **scratch-resistant, acid-resistant, heat-resistant** and **easy to clean** when following the clean and care instructions.
 - **Each Granite** features **different surface condition** and **air pores** as well as the **different gloss level and color** of contained minerals make each natural stone kitchen **unique**.
 - **Variations in the color, structure and open-cell character of natural stones are unavoidable.**
 - Natural stone front panels are not processed vein-matched as standard. Vein-matching front processing can be considered on request, with respect to the overall dimensions of the unique island and the available stone slab size.
- UFVB** Vein-matched stone front processing



7039 Black Musk waterjet

Surface characteristics

	Stain sensitivity	1
	Acid sensitivity	1
	Scratch sensitivity	1
	Cleaning and maintenance effort	1

■ max. size for slabs:	2700 x 1300 mm
■ Material thickness:	11 mm
■ Material weight:	31,1 kg per sqm


from 1 (immune/fine) to 4 (sensitive/suboptimal)

Grigio Carnico leather

Material: Limestone





Limestone is a sedimentary stone of biogenic origin. Limestone products are sandblasted and treated with diamond brushes.

- Veins, cracks and open sections are **considered typical for Limestone** surfaces.
 - The **structural capability** of Limestone may be weakened by the **naturally occurring veins and cracks**. Therefore **improper handling and shocks during transport** can lead to **breakage** of fronts, side panels and worktops.
 - Limestone is **NOT resistant to acids**.
 - **All liquids occuring in the household such as fruit acids, vinegar, wine, water, etc.,** as well as **fats and oils leave marks in the Limestone and have to be removed immediately from the surface**.
 - **The marks at the surface** that contains due to regular usage are **unavoidable** and give the Limestone its **distinctive character**.
 - **Variations in the color, structure and open-cell character of natural stones are unavoidable**.
 - **These sensitivities of the Limestone must be specifically explained to the end customer and the acceptance and agreement of the customer must be documented in writing**.
 - Natural stone front panels are not processed vein-matched as standard. Vein-matching front processing can be considered on request, with respect to the overall dimensions of the unique island and the available stone slab size.
- UFVB Vein-matched stone front processing



7040 Grigio Carnico leather

Surface characteristics

	Stain sensitivity	4
	Acid sensitivity	4
	Scratch sensitivity	4
	Cleaning and maintenance effort	4

■ max. size for slabs:	2400 x 1300 mm
■ Material thickness:	11 mm
■ Material weight:	29,7 kg per sqm

from 1 (immune/fine) to 4 (sensitive/suboptimal)

Arabescato polished

Material: Marble





Marble is formed by the metamorphic transformation of limestone, dolomite and other carbonate rocks under the influence of high pressure and high temperature in the core of the earth. Marble is sandblasted and treated with diamond brushes.

- Veins, cracks and open sections are **considered typical for Marble** surfaces.
 - The **structural capability** of Marble may be weakened by the **naturally occurring veins and cracks**. Therefore **improper handling and shocks during transport** can lead to **breakage** of fronts, side panels and worktops.
 - Marble is **NOT resistant to acids**.
 - **All liquids occurring in the household such as fruit acids, vinegar, wine, water, etc., as well as fats and oils leave marks in the Marble and have to be removed immediately from the surface.**
 - **The marks at the surface that contains due to regular usage are unavoidable** and give the Marble its **distinctive character**.
 - **Variations in the color, structure and open-cell character of natural stones are unavoidable.**
 - **These sensitivities of the Marble must be specifically explained to the end customer and the acceptance and agreement of the customer must be documented in writing.**
 - Natural stone front panels are not processed vein-matched as standard. Vein-matching front processing can be considered on request, with respect to the overall dimensions of the unique island and the available stone slab size.
- UFVB** Vein-matched stone front processing



7055 Arabescato polished

Surface characteristics

	Stain sensitivity	4
	Acid sensitivity	4
	Scratch sensitivity	4
	Cleaning and maintenance effort	4

■ max. size for slabs:	2400 x 1300 mm
■ Material thickness:	11 mm
■ Material weight:	29,7 kg per sqm


from 1 (immune/fine) to 4 (sensitive/suboptimal)

Tauern Green polished

Material: Serpentine





Serpentine is a metamorphic rock that has been formed from original effusive rock under the influence of high pressure in the upper mantle of the earth.

- The material has a high inherent stability due to its **slaty basic structure**.
 - Because of the **variations in color, veins and structures** of the stone the gloss level of the **polished surface may vary**. This is a typical characteristic and gives the Serpentine stone its **distinctive character**.
 - **Variations in the color, structure and open-cell character of natural stones are unavoidable**.
 - Natural stone front panels are not processed vein-matched as standard. Vein-matching front processing can be considered on request, with respect to the overall dimensions of the unique island and the available stone slab size.
- UFVB** Vein-matched stone front processing



7069 Tauern Green polished

Surface characteristics

	Stain sensitivity	1
	Acid sensitivity	1
	Scratch sensitivity	3
	Cleaning and maintenance effort	1

■ max. size for slabs:	2700 x 1300 mm
■ Material thickness:	11 mm
■ Material weight:	30 kg per sqm

from 1 (immune/fine) to 4 (sensitive/suboptimal)

Tropical Storm leather

Material: Quartzite





Quartzite is a metamorphic rock formed when sandy quartz particles and natural cementing agents are subjected to high pressure and high temperatures.

- Quartzite is characterized by its **hardness** and it is **scratch resistant, acid-resistant, heat-resistant** and **easy to clean** when following the clean and care instructions.
 - **Each Quartzite** features **different surface condition** and **air pores** as well as the **different gloss level and color** of contained minerals make each natural stone kitchen **unique**.
 - **Variations in the color, structure and open-cell character of natural stones are unavoidable.**
 - Natural stone front panels are not processed vein-matched as standard. Vein-matching front processing can be considered on request, with respect to the overall dimensions of the unique island and the available stone slab size.
- UFVB** Vein-matched stone front processing



7065 Tropical Storm leather

Surface characteristics

	Stain sensitivity	2
	Acid sensitivity	1
	Scratch sensitivity	2
	Cleaning and maintenance effort	2

■ max. size for slabs:	2700 x 1300 mm
■ Material thickness:	11 mm
■ Material weight:	30,0 kg per sqm

from 1 (immune/fine) to 4 (sensitive/suboptimal)

Negresco leather

Material: Quartzite





Quartzite is a metamorphic rock formed when sandy quartz particles and natural cementing agents are subjected to high pressure and high temperatures.

- Quartzite is characterized by its **hardness** and it is **scratch resistant, acid-resistant, heat-resistant** and **easy to clean** when following the clean and care instructions.
 - **Each Quartzite** features **different surface condition** and **air pores** as well as the **different gloss level and color** of contained minerals make each natural stone kitchen **unique**.
 - **Variations in the color, structure and open-cell character of natural stones are unavoidable.**
 - Natural stone front panels are not processed vein-matched as standard. Vein-matching front processing can be considered on request, with respect to the overall dimensions of the unique island and the available stone slab size.
- UFVB** Vein-matched stone front processing



7067 Negresco leather

Surface characteristics

	Stain sensitivity	1
	Acid sensitivity	1
	Scratch sensitivity	1
	Cleaning and maintenance effort	1

■ max. size for slabs:	2700 x 1300 mm
■ Material thickness:	11 mm
■ Material weight:	30,0 kg per sqm

from 1 (immune/fine) to 4 (sensitive/suboptimal)

Breccia Imperiale leather

Material: Quartzite





Quartzite is a metamorphic rock formed when sandy quartz particles and natural cementing agents are subjected to high pressure and high temperatures.

- Quartzite is characterized by its **hardness** and it is **scratch resistant, acid-resistant, heat-resistant** and **easy to clean** when following the clean and care instructions.
 - **Each Quartzite** features **different surface condition** and **air pores** as well as the **different gloss level and color** of contained minerals make each natural stone kitchen **unique**.
 - **Variations in the color, structure and open-cell character of natural stones are unavoidable.**
 - Natural stone front panels are not processed vein-matched as standard. Vein-matching front processing can be considered on request, with respect to the overall dimensions of the unique island and the available stone slab size.
- UFVB** Vein-matched stone front processing



7066 Breccia Imperiale leather

Surface characteristics

	Stain sensitivity	1
	Acid sensitivity	1
	Scratch sensitivity	1
	Cleaning and maintenance effort	1

■ max. size for slabs:	2700 x 1300 mm
■ Material thickness:	11 mm
■ Material weight:	30,0 kg per sqm


from 1 (immune/fine) to 4 (sensitive/suboptimal)

Ocean Blue leather NEW

Material: Quartzite





Quartzite is a metamorphic rock formed when sandy quartz particles and natural cementing agents are subjected to high pressure and high temperatures.

- Quartzite is characterized by its **hardness** and it is **scratch resistant, acid-resistant, heat-resistant** and **easy to clean** when following the clean and care instructions.
 - **Each Quartzite** features **different surface condition** and **air pores** as well as the **different gloss level and color** of contained minerals make each natural stone kitchen **unique**.
 - **Variations in the color, structure and open-cell character of natural stones are unavoidable.**
 - Natural stone front panels are not processed vein-matched as standard. Vein-matching front processing can be considered on request, with respect to the overall dimensions of the unique island and the available stone slab size.
- UFVB** Vein-matched stone front processing



7076 Ocean blue leather

Surface characteristics

	Stain sensitivity	2
	Acid sensitivity	1
	Scratch sensitivity	2
	Cleaning and maintenance effort	2

■ max. size for slabs:	2400 x 1300 mm
■ Material thickness:	11 mm
■ Material weight:	30,2 kg per sqm

from 1 (immune/fine) to 4 (sensitive/suboptimal)

Bianco Nuvola leather

Material: Quartzite





Quartzite is a metamorphic rock formed when sandy quartz particles and natural cementing agents are subjected to high pressure and high temperatures.

- Quartzite is characterized by its **hardness** and it is **scratch resistant, acid-resistant, heat-resistant** and **easy to clean** when following the clean and care instructions.
 - **Each Quartzite** features **different surface condition** and **air pores** as well as the **different gloss level and color** of contained minerals make each natural stone kitchen **unique**.
 - **Variations in the color, structure and open-cell character of natural stones are unavoidable.**
 - Natural stone front panels are not processed vein-matched as standard. Vein-matching front processing can be considered on request, with respect to the overall dimensions of the unique island and the available stone slab size.
- UFVB** Vein-matched stone front processing



7063 Bianco Nuvola leather

Surface characteristics

	Stain sensitivity	2
	Acid sensitivity	2
	Scratch sensitivity	2
	Cleaning and maintenance effort	2

- max. size for slabs: 2700 x 1300 mm
- Material thickness: 11 mm
- Material weight: 30 kg per sqm

from 1 (immune/fine) to 4 (sensitive/suboptimal)

Taj Mahal leather

Material: Quartzite





Quartzite is a metamorphic rock formed when sandy quartz particles and natural cementing agents are subjected to high pressure and high temperatures.

- Quartzite is characterized by its **hardness** and it is **scratch resistant, acid-resistant, heat-resistant** and **easy to clean** when following the clean and care instructions.
 - **Each Quartzite** features **different surface condition** and **air pores** as well as the **different gloss level and color** of contained minerals make each natural stone kitchen **unique**.
 - **Variations in the color, structure and open-cell character of natural stones are unavoidable.**
 - Natural stone front panels are not processed vein-matched as standard. Vein-matching front processing can be considered on request, with respect to the overall dimensions of the unique island and the available stone slab size.
- UFVB** Vein-matched stone front processing



7049 Taj Mahal leather

Surface characteristics

	Stain sensitivity	1
	Acid sensitivity	1
	Scratch sensitivity	1
	Cleaning and maintenance effort	1

■ max. size for slabs:	2700 x 1300 mm
■ Material thickness:	11 mm
■ Material weight:	31,1 kg per sqm

from 1 (immune/fine) to 4 (sensitive/suboptimal)

Montblanc honed

NEW

Material: Quartzite

Quartzite is a metamorphic rock formed when sandy quartz particles and natural cementing agents are subjected to high pressure and high temperatures.

- Quartzite is characterized by its **hardness** and it is **scratch resistant, acid-resistant, heat-resistant** and **easy to clean** when following the clean and care instructions.
 - **Each Quartzite** features **different surface condition** and **air pores** as well as the **different gloss level and color** of contained minerals make each natural stone kitchen **unique**.
 - **Variations in the color, structure and open-cell character of natural stones are unavoidable.**
 - Natural stone front panels are not processed vein-matched as standard. Vein-matching front processing can be considered on request, with respect to the overall dimensions of the unique island and the available stone slab size.
- UFVB** Vein-matched stone front processing



7073 Montblanc honed

Surface characteristics

	Stain sensitivity	1
	Acid sensitivity	1
	Scratch sensitivity	1
	Cleaning and maintenance effort	1

■ max. size for slabs:	2700 x 1300 mm
■ Material thickness:	11 mm
■ Material weight:	31,1 kg per sqm

from 1 (immune/fine) to 4 (sensitive/suboptimal)


Black Tempest

NEW

Material: Quartzite





Quartzite is a metamorphic rock formed when sandy quartz particles and natural cementing agents are subjected to high pressure and high temperatures.

- Quartzite is characterized by its **hardness** and it is **scratch resistant, acid-resistant, heat-resistant** and **easy to clean** when following the clean and care instructions.
- **Each Quartzite** features **different surface condition** and **air pores** as well as the **different gloss level and color** of contained minerals make each natural stone kitchen **unique**.
- **Variations in the color, structure and open-cell character of natural stones are unavoidable.**
- Natural stone front panels are not processed vein-matched as standard. Vein-matching front processing can be considered on request, with respect to the overall dimensions of the unique island and the available stone slab size.
UFVB Vein-matched stone front processing



7074 Black Tempest leather
7075 Black Tempest polished

Surface characteristics

	Stain sensitivity	1
	Acid sensitivity	1
	Scratch sensitivity	1
	Cleaning and maintenance effort	1

■ max. size for slabs:	2700 x 1300 mm
■ Material thickness:	11 mm
■ Material weight:	31,1 kg per sqm


from 1 (immune/fine) to 4 (sensitive/suboptimal)

Matrix honed

Material: Phyllite





Phyllite is a quartz containing slate formed about 300 million years ago. The slaty surface is achieved by a special brushing process.

- Phyllite is characterized by its **hardness** and it is **rarely scratch-sensitive, acid-resistant, heat-resistant** and **easy to clean** when following the clean and care instructions.
- **Each Phyllite** features **different surface condition** and **air pores** as well as the **different gloss level and color** of contained minerals make each natural stone kitchen **unique**.
- **Variations in the color, structure and open-cell character of natural stones are unavoidable.**
- Natural stone front panels are not processed vein-matched as standard. Vein-matching front processing can be considered on request, with respect to the overall dimensions of the unique island and the available stone slab size.
UFVB Vein-matched stone front processing



7045 Matrix honed

Surface characteristics

	Stain sensitivity	2
	Acid sensitivity	1
	Scratch sensitivity	3
	Cleaning and maintenance effort	2

■ max. size for slabs:	2700 x 1300 mm
■ Material thickness:	11 mm
■ Material weight:	30 kg per sqm


from 1 (immune/fine) to 4 (sensitive/suboptimal)

Fenix core

Fenix core is a solid laminate material. The surface involves the use of nanotechnology. Thanks to this technology: Besides the main properties, such as an extremely matt, soft touch, and anti-fingerprint surface and the thermal healing of microscratches. This innovative material stands out for specific properties which facilitate normal cleaning and do not require particular maintenance. Fenix core it is extremely easy to clean and is resistant to mold, it has enhanced anti-bacterial properties, it is resistant to rub, scratches and abrasion, as well as to acid solvents and household reagents. Fenix core is heat-proof up to 150° C.



7072 Nano greengrey



7047 Nano black







7050 Nano grigio



7061 Nano bromo

Surface characteristics


	Stain sensitivity	1
	Acid sensitivity	1
	Scratch sensitivity	1
	Cleaning and maintenance effort	1

- max. size for slabs: 4100 x 1500 mm
- Material thickness: 12 mm
- Material weight: 19 kg per sqm
- Fenix core worktops
- Fenix core sink bowls are not available!

from 1 (immune/fine) to 4 (sensitive/suboptimal)

Stainless steel silverTouch

Solid stainless steel – worktop and panels are 5 mm thick and front panels are 3 mm thick - in 1.4301 (V2A). The silverTouch slabs are hot-rolled and this process creates, in conjunction with atmospheric oxygen during the cool-down process, a surface that is characterized by very good scratch resistance and low sensitivity. These effects are additionally supported by the hand applied silverTouch grinding surface. Caused by the production process silverTouch may have rolling marks, inclusions, and other imperfections! This is not a manufacturing fault but characteristics of the material.



908 Stainless Steel silverTouch

- max. size for slabs: 4500 x 1480 mm
- Material thickness: 3 mm frontpanels / 5 mm side panels and worktops
- Material weight: 3 mm thickness: / 24 kg per sqm 5 mm thickness: / 40 kg per sqm

Hot-rolled stainless steel

The stainless steel is hot rolled in glowing condition and, in combination with atmospheric oxygen, forms a very individual surface when it cools. The surface appears warm and harmonious and yet proves to be robust, insensitive and easy to clean. Surface irregularities and rolling marks are characteristic of this material and do not represent any manufacturing defects.



NEW 8917 Hot-rolled stainless steel

- max. size for slabs: 5200 x 1900 mm
- Material thickness: 3 mm frontpanels / 5 mm side panels and worktops
- Material weight: 3 mm thickness: / 24 kg per sqm 5 mm thickness: / 40 kg per sqm

Brass

Solid Brushed Brass – 3 mm thick, waxed finish.

Due to the material properties of brass, the surface may show flowmarks, small scratches or similar irregularities.

In addition, brass oxidizes very easily and quickly in conjunction with atmospheric oxygen.

Brass reacts with ambient oxygen. This causes an oxide layer. As a result, this mentioned effect can be partially intensified, e.g. by hand perspiration or similar. Stains are formed, e.g. as fingerprints.

This is a natural characteristic of the material and has to be accepted.



8911 Brushed Brass


- max. size for slabs: 3900 x 1400 mm
- Material thickness: 3 mm / 5 mm
- Material weight: 3 mm 26 kg per sqm
5 mm 43 kg per sqm
- Brushing direction: horizontal
- Side panels in Brushed Brass

Due to the described material properties, real brass is not recommended as worktop material.



8912 Eccentric grinding Brass

Bronzed Brass



8914 Bronzed Brass


- max. size for slabs: 3900 x 1400 mm
- Material thickness: 3 mm / 5 mm
- Material weight: 3 mm 26 kg per sqm
5 mm 43 kg per sqm
- Brushing direction: horizontal
- Side panels in Brushed Brass

Due to the described material properties, real brass is not recommended as worktop material.

Black touch stainless steel

An ultra-thin ceramic is fired onto the stainless steel with an infrared laser using a specially developed process. The layer, which is only a few micrometers thick, retains the desired properties of the stainless steel. The hardness of the ceramic layer results in a very scratch-resistant surface on the stainless steel. Thus, the stainless steel black touch combines the positive properties of stainless steel with the positive properties of a ceramic.

The 3 mm thick fronts are lined on the back with laser welding lines at a distance of approx. 3 mm and provided with a swirl finish.



- max. size for slabs: 3800 x 1200 mm
- max. size for front: 500 x 1196 mm
- Material thickness: 3 mm frontpanels / side panels
8 mm worktops
- Material weight: 3 mm thickness: / 26 kg per sqm
8 mm thickness: / 42 kg per sqm

NEW 8915 Black touch stainless steel

Projects

In addition to the individually planned custom made products, eggersmann also produces kitchens for project installations. In recent years many building projects all over the world have been fitted with our high quality products. The volume can vary from a few exclusive penthouse units to a large-scale project with several hundred kitchens. Our project department along with the respective national agency guarantees perfect execution of planning, logistics, assembly and after-sales service.



VEYLA NATAI RESIDENCES

16 kitchens
Phang-nga, Thailand



THE PARKLANE

195 kitchens
Houston TX, USA



V TOWER

48 kitchens
Prague, Czech Republic



FAN YUE 108

166 kitchens
Beijing, China



ELBPHILHARMONIE

14 kitchens
Hamburg, Germany



MOUNT NICHOLSON

67 kitchens
Hong Kong



ARABELLA

100 kitchens
Houston TX, USA



TOPWIN ONE SANLITUN

48 kitchens
Beijing, China



BELFIORE

22 kitchens
Houston TX, USA



ASTORIA

80 kitchens
Houston TX, USA



71 READE ST

17 kitchens
New York, USA



POLY HYDE PARK

264 kitchens
Beijing, China



WATER VILLAS

18 kitchens
Penang, Malaysia



ROYAL OAK COURTYARD

80 kitchens
Houston TX, USA



252 EAST 57TH ST

96 kitchens
New York, USA

Projects

In addition to the individually planned custom made products, eggersmann also produces kitchens for project installations. In recent years many building projects all over the world have been fitted with our high quality products. The volume can vary from a few exclusive penthouse units to a large-scale project with several hundred kitchens. Our project department along with the respective national agency guarantees perfect execution of planning, logistics, assembly and after-sales service.



JIUZHANG CHINOISERIE VILLA

32 kitchens
Beijing, China



211 EAST 13TH ST

88 kitchens
New York, USA



BALK VAN BEEL

120 kitchens
Leuven, Belgium



MOUNT KELLETT ROAD

13 kitchens
Hong Kong



WE'VE THE ZENITH

936 kitchens
Busan, Korea



THE HILL

262 kitchens
Seoul, Korea



MILLENIUM WATER

865 kitchens
Vancouver, Canada



LI YUAN

30 kitchens
Taipei, Taiwan




L'HERMITAGE

224 kitchens
Vancouver, Canada



SIGNATURE

246 kitchens
St.Petersburg, USA



SHANGRI LA

238 kitchens
Vancouver, Canada



UPTOWN

140 kitchens
Munich, Germany

learn more



find showrooms

